

Certificate of Approval

This certificate confirms that the company below complies with the following standard(s):

Company Name	Zhejiang Ruihua Machinery Co., Ltd	Client ID	102557
Company Other Name		Type of Certification	Product Certification; System 5
Certification Standard	AS 4265-1995: Wheeled fire extinguishers		
Scheme	Global-Mark Product Conformance Scheme		
Certification Review Date	16/07/2024	Certification Expiry Date	10/09/2029
Certificate Issue Date	10/04/2017	Certificate Last Update Date	31/01/2025

APPROVED COMPANY/SITE ADDRESS(ES):

Western Industrial Zone, Lingshan Town Yuyao Zhejiang 315460 China

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager


Unique Certificate Code: A842F31CE54E368DCA258BC900152254

Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005



Global-Mark.com.au®

JAS-ANZ



WWW.JAS-ANZ.ORG/REGISTER

Model(s) on which the Global-Mark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder:

In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate of Approval Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
MBF50	50.0L Foam type wheeled unit	Various	50L foam; Rating- 4A:30B; FERN: 2557-MOB-42	30/11/2016
MBP50	50.0kg Powder type wheeled unit	Presto	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-50	30/11/2016
MBF50	50.0L Foam type wheeled unit	FireWorld	50L foam; Rating- 4A:30B; FERN: 2557-MOB-41	30/11/2016
MBP50	50.0kg Powder type wheeled unit	Various	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-52	30/11/2016
MBP50	50.0kg Powder type wheeled unit	FireWorld	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-51	30/11/2016
MBF50	50.0L Foam type wheeled unit	Presto	50L foam; Rating- 4A:30B; FERN: 2557-MOB-40	30/11/2016
MWF50	50.0L Foam type wheeled unit	Various	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-72	27/05/2020
MWF50	50.0L Foam type wheeled unit	Presto	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-73	27/05/2020
MWF50	50.0L Foam type wheeled unit	FireWorld	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-74	27/05/2020
MBF75	75.0L Foam type wheeled unit	Various	75L foam; Rating- 4A:30B; FERN: 2557-MOB-43	11/03/2018
MBP75	75.0kg Powder type wheeled unit	Various	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-53	11/03/2018
MBF75	75.0L Foam type wheeled unit	FireWorld	75L foam; Rating- 4A:30B; FERN: 2557-MOB-44	11/03/2018
MBP75	75.0kg Powder type wheeled unit	FireWorld	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-54	11/03/2018
MBF75	75.0L Foam type wheeled unit	Presto	75L foam; Rating- 4A:30B; FERN: 2557-MOB-45	11/03/2018
MBP75	75.0kg Powder type wheeled unit	Presto	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-55	11/03/2018
MWF100	100.0L Foam type wheeled unit	Various	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-81	27/05/2020



Certification Manager

John Hobbs

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
MWF100	100.0L Foam type wheeled unit	Presto	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-82	27/05/2020
MWF100	100.0L Foam type wheeled unit	FireWorld	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-83	27/05/2020
MGF50	50.0L Foam type wheeled unit	Various	50L foam; Rating- 4A:30B; FERN: 2557-MOB-84	27/05/2020
MGF50	50.0L Foam type wheeled unit	Presto	50L foam; Rating- 4A:30B; FERN: 2557-MOB-85	27/05/2020
MGF50	50.0L Foam type wheeled unit	FireWorld	50L foam; Rating- 4A:30B; FERN: 2557-MOB-86	27/05/2020
MGF75	75.0L Foam type wheeled unit	Various	75L foam; Rating- 4A:30B; FERN: 2557-MOB-87	27/05/2020
MGF75	75.0L Foam type wheeled unit	Presto	75L foam; Rating- 4A:30B; FERN: 2557-MOB-88	27/05/2020
MGF75	75.0L Foam type wheeled unit	FireWorld	75L foam; Rating- 4A:30B; FERN: 2557-MOB-89	27/05/2020
MGF90	90.0L Foam type wheeled unit	Various	90L foam; Rating- 4A:30B; FERN: 2557-MOB-110	27/05/2020
MGF90	90.0L Foam type wheeled unit	Presto	90L foam; Rating- 4A:30B; FERN: 2557-MOB-90	27/05/2020
MGF90	90.0L Foam type wheeled unit	FireWorld	90L foam; Rating- 4A:30B; FERN: 2557-MOB-91	27/05/2020
MGF100	100.0L Foam type wheeled unit	Various	100L foam; Rating- 4A:30B; FERN: 2557-MOB-92	27/05/2020
MGF100	100.0L Foam type wheeled unit	Presto	100L foam; Rating- 4A:30B; FERN: 2557-MOB-93	27/05/2020
MGF100	100.0L Foam type wheeled unit	FireWorld	100L foam; Rating- 4A:30B; FERN: 2557-MOB-94	27/05/2020
MGP50	50.0kg Powder type wheeled unit	Various	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-95	27/05/2020
MGP50	50.0kg Powder type wheeled unit	Presto	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-96	27/05/2020
MGP50	50.0kg Powder type wheeled unit	FireWorld	50kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-97	27/05/2020
MGP75	75.0kg Powder type wheeled unit	Various	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-98	27/05/2020



Certification Manager

John Hobbs



global-mark®

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
MGP75	75.0kg Powder type wheeled unit	Presto	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-99	27/05/2020
MGP75	75.0kg Powder type wheeled unit	FireWorld	75kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-100	27/05/2020
MGP90	90.0kg Powder type wheeled unit	Various	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-101	27/05/2020
MGP90	90.0kg Powder type wheeled unit	Presto	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-102	27/05/2020
MGP90	90.0kg Powder type wheeled unit	FireWorld	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-103	27/05/2020
MGP100	100.0kg Powder type wheeled unit	Various	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-104	27/05/2020
MGP100	100.0kg Powder type wheeled unit	Presto	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-105	27/05/2020
MGP100	100.0kg Powder type wheeled unit	FireWorld	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-106	27/05/2020
MWGF50	50.0L Foam type wheeled unit	Various	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-107	27/05/2020
MWGF50	50.0L Foam type wheeled unit	Presto	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-108	27/05/2020
MWGF50	50.0L Foam type wheeled unit	FireWorld	50L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-109	27/05/2020
MWGF100	100.0L Foam type wheeled unit	Various	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-116	27/05/2020
MWGF100	100.0L Foam type wheeled unit	Presto	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-117	27/05/2020
MWGF100	100.0L Foam type wheeled unit	FireWorld	100L fluorine free foam; Rating- 4A:30B; FERN: 2557-MOB-118	27/05/2020
MBF90	90.0L Foam type wheeled unit	Various	90L foam; Rating- 4A:30B; FERN: 2557-MOB-46	11/03/2018
MBP90	90.0kg Powder type wheeled unit	Various	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-56	11/03/2018
MBF90	90.0L Foam type wheeled unit	FireWorld	90L foam; Rating- 4A:30B; FERN: 2557-MOB-47	11/03/2018
MBP90	90.0kg Powder type wheeled unit	FireWorld	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-57	11/03/2018



Certification Manager

John Hobbs



global-mark®

Model Identification	Model Name	Brand Name	Product Description / Attributes	Date Approved
MBF90	90.0L Foam type wheeled unit	Presto	90L foam; Rating- 4A:30B; FERN: 2557-MOB-48	11/03/2018
MBP90	90.0kg Powder type wheeled unit	Presto	90kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-58	11/03/2018
MBF100	100.0L Foam type wheeled unit	Various	100L foam; Rating- 4A:30B; FERN: 2557-MOB-49	11/03/2018
MBP100	100.0kg Powder type wheeled unit	Various	100kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-59	11/03/2018
MBF100	100.0L Foam type wheeled unit	FireWorld	100L foam; Rating- 4A:30B; FERN: 2557-MOB-60	11/03/2018
MBP100	100.0kg Powder type wheeled unit	FireWorld	100kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-70	11/03/2018
MBF100	100.0L Foam type wheeled unit	Presto	100L foam; Rating- 4A:30B; FERN: 2557-MOB-61	11/03/2018
MBP100	100.0kg Powder type wheeled unit	Presto	100kg powder; Rating- 10A:80B:E; FERN: 2557-MOB-71	11/03/2018
MCO2220	22.0kg Carbondioxide type wheeled unit	Various	22kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-119	31/01/2025
MCO2320	32.0kg Carbondioxide type wheeled unit	Various	32kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-122	31/01/2025
MCO2450	45.0kg Carbondioxide type wheeled unit	Various	45kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-125	31/01/2025
MCO2220	22.0kg Carbondioxide type wheeled unit	Presto	22kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-120	31/01/2025
MCO2320	32.0kg Carbondioxide type wheeled unit	Presto	32kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-123	31/01/2025
MCO2450	45.0kg Carbondioxide type wheeled unit	Presto	45kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-126	31/01/2025
MCO2220	22.0kg Carbondioxide type wheeled unit	FireWorld	22kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-121	31/01/2025
MCO2320	32.0kg Carbondioxide type wheeled unit	FireWorld	32kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-124	31/01/2025
MCO2450	45.0kg Carbondioxide type wheeled unit	FireWorld	45kg Carbondioxide; Rating: 10B:E; FERN: 2557-MOB-127	31/01/2025

Comments:



Certification Manager

John Hobbs



global-mark®

End of the document



Certification Manager

John Hobbs